		Sample Location	Sample Medium	Latitude	Longitude	Treatment Collection	Source	Sample Date	Alkalinity (mg/L)	Chloride (mg/L)	Chloride (SAC 942) (mg/L)	Chloride (SAC 160) (mg/L)	Color (PT/C)	Conductivity (µs/cm)	DO (mg/L)
Primary Maximum Contaminant Levels	a														
Secondary Maximum Contaminant Levels	b									250	250	250	15		
Recommended Action Levels	c														
	++		Well				CABOT	9/2/2008		110					
	$\pm$		77011	_	_		071001	0/2/2000							
1															
BASEMENT BEFORE SYSTEM		Basement	Well			Pre-Treatment	CABOT	2/26/2009		235					
	TTT		Well				CABOT	3/6/2009		235					3.77
			Well				CABOT	5/14/2009		175					
			Well				CABOT	6/20/2009							5.61
BASEMENT FROM PRESSURE TANK		Pressure Tank	Well				CABOT	8/17/2009		147					
NOT INDICATED			Well				DEP	12/01/2009							
NOT INDICATED			Well				DEP	12/01/2009	109.2	99.4				547	
	$\Pi\Pi$														
PRESSURE TANK		Pressure Tank	Well				CABOT	1/11/2010		142				558	4.81
	$\perp \! \! \perp \! \! \! \perp$		Well			Post-Treatment	DEP	4/19/2010	111.8		93.6			507	
		l					l l								
BASEMENT AT PRESSURE TANK	$\perp \! \! \perp \! \! \! \perp$	Pressure Tank	Well				CABOT	4/19/2010		110				480	4.39
	$\perp \! \! \! \! \! \! \! \perp$		Well				DEP	6/16/2010	112.8	90.9					
BASEMENT AT PRESSURE TANK	+ + +	Pressure Tank	Well				CABOT	7/22/2010		92.4				472	2.55
BASEMENT AT PRESSURE TANK	$\bot\bot$	Pressure Tank	Well				CABOT	9/17/2010	100	107				392	3.77
	+++		Well				DEP	10/6/2010	109		77.4	78.9	<5	491	
BASEMENT AT PRESSURE TANK	$\bot$	Pressure Tank	Well				CABOT	11/22/2010	105	154				379	4.19
PRESSURE TANK	$\bot\bot$	Pressure Tank	Well				CABOT	12/21/2010	100	87.9				319	4.11
BASEMENT AT PRESSURE TANK	$\bot\bot\bot$	Pressure Tank	Well				CABOT	1/10/2011						299	4.36
BASEMENT AT PRESSURE TANK	$\bot\bot\bot$	Pressure Tank	Well				CABOT	1/20/2011						464	6.43
PRESSURE TANK	$\perp \! \! \perp \! \! \! \perp$	Pressure Tank	Well				CABOT	2/4/2011	105	128				465	47.5
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well	_			CABOT	2/22/2011						289	5.53
IN BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	3/9/2011							8.39
BASEMENT AT PRESSURE TANK		Pressure Tank	Well	_	_		CABOT	3/22/2011						310	7.45
AT PRESSURE TANK	+ + +	Pressure Tank	Well				CABOT	4/5/2011						461	7.47
AT PRESSURE TANK	+	Pressure Tank	Well				CABOT	4/12/2011						464	7.57
BASEMENT AT PRESSURE TANK	$\perp \perp \perp$	Pressure Tank	Well				CABOT	4/26/2011						337	8.07
BASEMENT AT PRESSURE TANK	$\bot\bot$	Pressure Tank	Well				CABOT	5/10/2011						340	7
BASEMENT AT PRESSURE TANK	$\perp \perp \perp$	Pressure Tank	Well				CABOT	5/24/2011						349	9.15
WELL 1	$\perp \perp \perp$	Pressure Tank	Well				CABOT	7/6/2011	110	154				287	3.03
WELL 1	$\perp \perp \perp$		Well				CABOT	7/20/2011			1			573	3.15
WELL 1	$\perp \perp$		Well				CABOT	8/3/2011	110	125				488	2.09
WELL 1	$\perp \perp \perp$		Well				CABOT	8/17/2011						294	4.17
WELL 1	111		Well			Pre-Treatment	CABOT	8/31/2011						329	4.53

- Notes:
  a Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
  b E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effects in drinking water.
  c Recommended action level from the Office of Surface Mining Reclamation and Enforcement Appalachian Regional Coordinating Center, Pittsburgh, PA (September 2001)

Page 1 of 15 11/1/2011 2:27 PM

		Sample Location	Sample Medium	Latitude	Longitude	Treatment Collection	Source	Sample Date	Ethylene Glycol (mg/L)	GLYCL	Hardness (mg/L)	MBAS (mg/L)	Nitrate as N(mg/L)	ORP (mV)	pH (pH units)
Primary Maximum Contaminant Levels	a												10		
Secondary Maximum Contaminant Levels	b											0.5			6.5-8.5
Recommended Action Levels	c														
	+		Well				CABOT	9/2/2008				<0.020			7.2
	$\top$														
BASEMENT BEFORE SYSTEM		Basement	Well			Pre-Treatment		2/26/2009				<0.200			8.13
	$\perp \sqcup$		Well				CABOT	3/6/2009				<0.200		107.3	8.13
	ж		Well				CABOT	5/14/2009				<0.080		405.5	8.28
BASEMENT FROM PRESSURE TANK	+	Pressure Tank	Well				CABOT	6/20/2009 8/17/2009				<0.080		-165.5	8.4 8.55
NOT INDICATED	+	Flessule falls	Well			<b>†</b>	DEP	12/01/2009				~0.000	1		0.00
NOT INDICATED	+		Well				DEP	12/01/2009			125				8.2
	+		7.00	_	_	t		12011200					1		
PRESSURE TANK	$\mathbf{I}$	Pressure Tank	Well				CABOT	1/11/2010				< 0.080		-164.5	8.24
	ш		Well			Post-Treatment	DEP	4/19/2010			122				
							1								1
DARKELE AT DECOMES TANK			187.11					4/40/0040				0.000		407	704
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well		<b>┼</b>	<u> </u>	CABOT	4/19/2010 6/16/2010			119	<0.080	-	-127	7.81 8.2
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	7/22/2010			119	<0.080	<b>+</b>	-76.5	7.67
BASEMENT AT PRESSURE TANK	+	Pressure Tank	Well			<b>†</b>	CABOT	9/17/2010	<10.0		109.08154	<0.080	<1.00	-98.5	7.82
DIOCHENT AN I NEGOCIAE TANK	+	1 TOODUIO TUINE	Well				DEP	10/6/2010	10.0	NON DETECT	112	0.000	11.00	00.0	7.52
BASEMENT AT PRESSURE TANK	+	Pressure Tank	Well				CABOT	11/22/2010	<10.0		119.025	<0.080	<1.00	194.8	7.51
PRESSURE TANK		Pressure Tank	Well				CABOT	12/21/2010	<10.0		116.966	<0.080	<1.00	-151.9	7.87
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	1/10/2011						-138.3	7.38
BASEMENT AT PRESSURE TANK	$\perp$	Pressure Tank	Well				CABOT	1/20/2011						13.4	6.71
PRESSURE TANK	+++	Pressure Tank	Well				CABOT	2/4/2011	<10.0		113.6454	<0.080	<1.00	-154.4	7.39
BASEMENT AT PRESSURE TANK IN BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	2/22/2011 3/9/2011				<0.080 <0.080		-126.1	7.22 7.59
BASEMENT AT PRESSURE TANK	+++	Pressure Tank Pressure Tank	Well			<b>+</b>	CABOT	3/9/2011				<0.080	-	-111.1 20.1	7.63
AT PRESSURE TANK	+++	Pressure Tank	Well	·■			CABOT	4/5/2011				<0.080	+	-153.6	7.8
AT PRESSURE TANK	+	Pressure Tank	Well			<b>†</b>	CABOT	4/12/2011				<0.080	<del>                                     </del>	-78.5	7.83
BASEMENT AT PRESSURE TANK	+	Pressure Tank	Well				CABOT	4/26/2011				<0.080		154.4	6.76
BASEMENT AT PRESSURE TANK	+	Pressure Tank	Well			1	CABOT	5/10/2011				<0.080	i	-138.1	7.91
BASEMENT AT PRESSURE TANK		Pressure Tank	Well			1	CABOT	5/24/2011				<0.080		-91.8	8.17
WELL 1		Pressure Tank	Well				CABOT	7/6/2011	<10		114	<0.080	<1.00	-77.4	6.95
WELL 1			Well				CABOT	7/20/2011						29	8.18
WELL 1	$\perp$		Well				CABOT	8/3/2011	<10		121	<0.080	<5.00	-108	8.1
WELL 1	+		Well			<u> </u>	CABOT	8/17/2011						-123.1	7.52
WELL 1	ш		Well			Pre-Treatment	CABOT	8/31/2011						-82.6	8.14

- Notes:
  a Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
  b E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effect Recommended action level from the Office of Surface Mining Reclamation and Enforcement Appalachian Regional Coordinating Center, Pittsburgh, PA (Septern

Page 2 of 15 11/1/2011 2:27 PM

		Sample				Treatment			pH (SAC 942)	pH (SAC 160)	Sulfate	Sulfide	TDS	TDS (SAC 942)	TSS
		Location	Sample Medium	Latitude	Longitude	Collection	Source	Sample Date	(pH units)	(pH units)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
Primary Maximum Contaminant Levels	a														
Secondary Maximum Contaminant Levels	b								6.5-8.5	6.5-8.5	250		500	500	
Recommended Action Levels	c														
	${}^{\dagger}$	İ	Well				CABOT	9/2/2008		İ		<2	350		<5
	TTT														
							l								
BASEMENT BEFORE SYSTEM	+++	Basement	Well Well			Pre-Treatment	CABOT	2/26/2009 3/6/2009				<1.000	290 290		<2.0 <2.0
	+++		Well				CABOT	5/14/2009				<1 <1	332		<2.0
	+++		Well				CABOT	6/20/2009				\ \ \	332		<b>\2.0</b>
BASEMENT FROM PRESSURE TANK	+++	Pressure Tank	Well				CABOT	8/17/2009				11	340		<2.0
NOT INDICATED	+++	Flessule falk	Well				DEP	12/01/2009					340		~2.0
NOT INDICATED	+++		Well				DEP	12/01/2009					338		
TO T INDIO/TIES	+++		*****				, DE.	12/01/2000							
PRESSURE TANK		Pressure Tank	Well				CABOT	1/11/2010				10	284		<2.0
THE OWNER THAT	+	T TOOGGATO TANK	Well			Post-Treatment	DEP	4/19/2010	8.2			- '*	201	296	2.0
	++														
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	4/19/2010				5	287		<2.0
	П		Well				DEP	6/16/2010					286		
BASEMENT AT PRESSURE TANK	ш	Pressure Tank	Well				CABOT	7/22/2010				5	230		<2.0
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	9/17/2010			<5	5	240		2
	$\perp \! \! \perp \! \! \! \perp$		Well				DEP	10/6/2010	8.2	8.2	<1		264	264	
BASEMENT AT PRESSURE TANK	ш	Pressure Tank	Well				CABOT	11/22/2010			<5	10	253		<2.0
PRESSURE TANK	$\perp \perp \perp$	Pressure Tank	Well				CABOT	12/21/2010			<5	17	293		<2.0
BASEMENT AT PRESSURE TANK	$\perp \perp \perp$	Pressure Tank	Well				CABOT	1/10/2011							
BASEMENT AT PRESSURE TANK	ш	Pressure Tank	Well				CABOT	1/20/2011							
PRESSURE TANK	+++	Pressure Tank	Well				CABOT	2/4/2011			<5	<1	220		<2.0
BASEMENT AT PRESSURE TANK	+	Pressure Tank	Well Well				CABOT	2/22/2011 3/9/2011				<1	221		<2.0 <2.0
N BASEMENT AT PRESSURE TANK BASEMENT AT PRESSURE TANK	+++	Pressure Tank Pressure Tank	Well				CABOT	3/9/2011				<1 <1	222 223		<2.0 <2.0
AT PRESSURE TANK	+++	Pressure Tank	Well		-		CABOT	4/5/2011				<1	223		<2.0
AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	4/5/2011				<1	225		<2.0
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	4/12/2011				<1	225		<2.0
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	5/10/2011				<1	227		<2.0
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	5/24/2011				<1	228		<2.0
WELL 1	+++	Pressure Tank	Well			<b> </b>	CABOT	7/6/2011			<5	1 7	272		2.0
WELL 1	+++	1 TOGGGGG TELLIK	Well				CABOT	7/20/2011				<u> </u>			
WELL 1	+++		Well				CABOT	8/3/2011				<1	252		<2.0
WELL 1	+++		Well				CABOT	8/17/2011				<u> </u>			-2.0
WELL 1	+++		Well			Pre-Treatment	CABOT	8/31/2011		<del>                                     </del>				1	

- Notes:
  a Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
  b E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effect Recommended action level from the Office of Surface Mining Reclamation and Enforcement Appalachian Regional Coordinating Center, Pittsburgh, PA (Septen

Page 3 of 15 11/1/2011 2:27 PM

		Sample Location	Sample Medium	Latitude	Longitude	Treatment Collection	Source	Sample Date	Turbidity (ntu)	Oil & Grease (mg/L)	TPH (mg/L)	Fecal Coliform (cfu/100 ml)	Total Coliform (cfu/100 ml)	Aluminum (mg/L)	Aluminum (SAC 942 (mg/L)
Primary Maximum Contaminant Levels	a											0	0		
Secondary Maximum Contaminant Levels	b													0.05-0.2	0.05-0.2
Recommended Action Levels	c														
Recommended Action Levels			147.0												
	+		Well				CABOT	9/2/2008				0	0		
	IIII														
BASEMENT BEFORE SYSTEM	IIII	Basement	Well			Pre-Treatment	САВОТ	2/26/2009		<5.0		<1.000	<1.000	<0.050	
BASEMENT BEFORE STOTEM	+++	Dasement	Well			rie-Healment	CABOT	3/6/2009		V5.0		<1.000	<1.000	<0.05	
	+++		Well		+===		CABOT	5/14/2009				<1	<1	<0.050	
	+++		Well				CABOT	6/20/2009				- 1		-0.000	
BASEMENT FROM PRESSURE TANK	+++	Pressure Tank	Well				CABOT	8/17/2009		<5.0		<1	<1	<0.100	<u> </u>
NOT INDICATED	+	T TOODGIO TUIN	Well				DEP.	12/01/2009		-0.0				0.100	
NOT INDICATED	+++		Well				DEP	12/01/2009						<0.200	
COLUMN TOWNS AND ADDRESS OF THE PARTY OF THE	+++			_											
PRESSURE TANK	IIII	Pressure Tank	Well				CABOT	1/11/2010	1		<0.100	<1	<1	< 0.100	
	$\pm$		Well			Post-Treatment	DEP	4/19/2010							0.0161
	TTT														
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	4/19/2010	2		<0.10	<1	<1	<0.100	
BASEMENT AT FIXESSORE TANK	+++	Flessuie Talik	Well				DEP	6/16/2010			40.10	1	- 1	0.912	
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	7/22/2010	1		<0.1	<1	<1	<0.100	
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	9/17/2010	i	<5.0		<1	<1	<0.100	
DIOCHETT ATT RESOURCE TARK	+++	T TOODGIO TUIN	Well				DEP.	10/6/2010		0.0		- 10		0.100	<0.200
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	11/22/2010	2	<5.0		<1	<1	<0.010	
PRESSURE TANK	+	Pressure Tank	Well				CABOT	12/21/2010	1	<5.0		<1	<1	< 0.010	
BASEMENT AT PRESSURE TANK	$\top$	Pressure Tank	Well				CABOT	1/10/2011							
BASEMENT AT PRESSURE TANK	$\top$	Pressure Tank	Well				CABOT	1/20/2011							
PRESSURE TANK	$\Box\Box$	Pressure Tank	Well				CABOT	2/4/2011	1	<5.0		<1	<1	<0.010	
BASEMENT AT PRESSURE TANK			Well				CABOT	2/22/2011	2	<5.0		<1	<1		
N BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	3/9/2011	3	<5.0		<1	<1		
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	3/22/2011	4	<5.0		<1	<1		
AT PRESSURE TANK			Well				CABOT	4/5/2011	5	<5.0		<1	<1		
AT PRESSURE TANK	$\perp \Box$	Pressure Tank	Well				CABOT	4/12/2011	6	<5.0		<1	<1		
BASEMENT AT PRESSURE TANK	$\perp \! \! \perp \! \! \! \perp$	Pressure Tank	Well				CABOT	4/26/2011	7	<5.0		<1	<1		
BASEMENT AT PRESSURE TANK	$\perp \! \! \perp \! \! \! \perp$	Pressure Tank	Well				CABOT	5/10/2011	8	<5.0		<1	<1		
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	5/24/2011	9	<5.0		<1	<1		
WELL 1	+	Pressure Tank	Well				CABOT	7/6/2011	2	<5.0		<1	<1	<0.010	
WELL 1	+		Well				CABOT	7/20/2011						0.400	
WELL 1	ш		Well				CABOT	8/3/2011	1	<1.0		<1	<5	<0.100	
WELL 1	+++		Well				CABOT	8/17/2011							
WELL 1		1	Well			Pre-Treatment	CABOT	8/31/2011	ı	1	1	1	1		1

- Notes:
  a Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
  b E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effect Recommended action level from the Office of Surface Mining Reclamation and Enforcement Appalachian Regional Coordinating Center, Pittsburgh, PA (Septern

11/1/2011 2:27 PM

		Sample Location	Sample Medium	Latitude	Longitude	Treatment Collection	Source	Sample Date	Aluminum (SAC 160) (mg/L)	Aluminum, dissolved (mg/L)	Arsenic (mg/L)	Arsenic, dissolved (mg/L)	Barium (mg/L)	Barium (SAC 942) (mg/L)	Barium, dissolved (mg/L)
Primary Maximum Contaminant Levels	a										0.01	0.01	2	2	2
Secondary Maximum Contaminant Levels	b								0.05-0.2	0.05-0.2					
Recommended Action Levels	c														
	ĦĦ		Well				CABOT	9/2/2008	<del>                                     </del>					+	
	$^{++}$		77011				0,1001	0/2/2000							
BASEMENT BEFORE SYSTEM		Basement	Well			Pre-Treatment		2/26/2009					3.11		
	ш		Well				CABOT	3/6/2009					3.11		
	ш		Well				CABOT	5/14/2009					3.46		
BASEMENT FROM PRESSURE TANK	₩	Pressure Tank	Well				CABOT	6/20/2009 8/17/2009				-	3.18		
NOT INDICATED	+++	riessure rank	Well				DEP	12/01/2009				-	3.10		
NOT INDICATED	+++		Well				DEP	12/01/2009					2.993		
	+++			_				12.01.200					2.000		
PRESSURE TANK	IIII	Pressure Tank	Well				CABOT	1/11/2010					3.12		
	$\Pi\Pi$		Well			Post-Treatment	DEP	4/19/2010						2.714	
BASEMENT AT PRESSURE TANK	Ш	Pressure Tank	Well				CABOT	4/19/2010					2,75		
	ш		Well				DEP	6/16/2010					2.61		
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	7/22/2010					2.83		
BASEMENT AT PRESSURE TANK	ш	Pressure Tank	Well Well				CABOT	9/17/2010 10/6/2010	<0.01	<0.100	0.003	<0.003	2.62	2,565	2.56
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	11/22/2010	V0.01		<0.0010		2.5	2,505	
PRESSURE TANK		Pressure Tank	Well				CABOT	12/21/2010			<0.0010		3.4		
BASEMENT AT PRESSURE TANK	++	Pressure Tank	Well				CABOT	1/10/2011							
BASEMENT AT PRESSURE TANK	$^{\rm +++}$	Pressure Tank	Well				CABOT	1/20/2011							
PRESSURE TANK	ш	Pressure Tank	Well				CABOT	2/4/2011			<0.0010		2.6		
BASEMENT AT PRESSURE TANK	Ш		Well				CABOT	2/22/2011							
IN BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	3/9/2011							
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	3/22/2011							
AT PRESSURE TANK	ш		Well				CABOT	4/5/2011							
AT PRESSURE TANK BASEMENT AT PRESSURE TANK	₩	Pressure Tank Pressure Tank	Well Well				CABOT	4/12/2011 4/26/2011						_	
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	5/10/2011							
BASEMENT AT PRESSURE TANK	₩	Pressure Tank	Well				CABOT	5/24/2011	<del>                                     </del>			<del>                                     </del>		+ +	
WELL 1		Pressure Tank	Well				CABOT	7/6/2011			< 0.001		2.9		
WELL 1	+++		Well				CABOT	7/20/2011							
WELL 1	++		Well				CABOT	8/3/2011			<0.01		2.7		-
WELL 1	${}^{\rm TT}$		Well				CABOT	8/17/2011							
WELL 1			Well			Pre-Treatment	CABOT	8/31/2011							

- Notes:
  a Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
  b E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effect Recommended action level from the Office of Surface Mining Reclamation and Enforcement Appalachian Regional Coordinating Center, Pittsburgh, PA (Septern

11/1/2011 2:27 PM

		Sample Location	Sample Medium	Latitude	Longitude	Treatment Collection	Source	Sample Date	Cadmium (mg/L)	Cadmium, dissolved (mg/L)	Calcium (mg/L)	Calcium, dissolved (mg/L)	Chromium (mg/L)	Chromium, dissolved (mg/L)	Copper (mg/L)
Primary Maximum Contaminant Levels	a								0.005	0.005			0.1	0.1	1.3
Secondary Maximum Contaminant Levels	b														
Recommended Action Levels	c														
The control of the co	+++		Well				CABOT	9/2/2008							
	+++		******		_		0,1001	0/2/2000							
l	111														
BASEMENT BEFORE SYSTEM		Basement	Well			Pre-Treatment	CABOT	2/26/2009							
			Well				CABOT	3/6/2009							
	TTT		Well				CABOT	5/14/2009							
	ПП		Well				CABOT	6/20/2009							
BASEMENT FROM PRESSURE TANK		Pressure Tank	Well				CABOT	8/17/2009							
NOT INDICATED			Well				DEP	12/01/2009							
NOT INDICATED	$\Box\Box$		Well				DEP	12/01/2009			33.3				
	TTT														
PRESSURE TANK		Pressure Tank	Well				CABOT	1/11/2010							
	TTT		Well			Post-Treatment	DEP	4/19/2010			32.8				
				I											
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	4/19/2010							
			Well				DEP	6/16/2010			32.873				
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	7/22/2010							
BASEMENT AT PRESSURE TANK	$\Pi\Pi$	Pressure Tank	Well				CABOT	9/17/2010	<0.0020	<0.002	29.7	29.5	<0.005	<0.005	
			Well				DEP	10/6/2010			30.3				0.0276
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	11/22/2010	<0.0010		32		<0.002		
PRESSURE TANK		Pressure Tank	Well				CABOT	12/21/2010	<0.0010		32		<0.002		
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	1/10/2011							
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	1/20/2011							
PRESSURE TANK		Pressure Tank	Well				CABOT	2/4/2011	< 0.0001		31		< 0.002		
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	2/22/2011							
IN BASEMENT AT PRESSURE TANK	$\Pi\Pi$	Pressure Tank	Well				CABOT	3/9/2011							
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	3/22/2011							
AT PRESSURE TANK		Pressure Tank	Well				CABOT	4/5/2011							
AT PRESSURE TANK	ш	Pressure Tank	Well				CABOT	4/12/2011							
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	4/26/2011							
BASEMENT AT PRESSURE TANK	ш	Pressure Tank	Well				CABOT	5/10/2011							
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	5/24/2011							
WELL 1		Pressure Tank	Well				CABOT	7/6/2011	< 0.0001		31		<0.002		
WELL 1			Well				CABOT	7/20/2011							
WELL 1	$\top$		Well				CABOT	8/3/2011	<0.0010		33.2		<0.005		
WELL 1	TTT		Well				CABOT	8/17/2011							
WELL 1	$\top$		Well			Pre-Treatment	CABOT	8/31/2011							

- Notes:
  a Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
  b E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effect Recommended action level from the Office of Surface Mining Reclamation and Enforcement Appalachian Regional Coordinating Center, Pittsburgh, PA (Septern

11/1/2011 2:27 PM

Sample   Continued   Continu																
Secondary Maximum Contaminant Levels				Sample Medium	Latitude	Longitude		Source	Sample Date							Magnesium (mg/L)
Recommended Action Levels	Primary Maximum Contaminant Levels	a												0.015	0.015	
BASEMENT REFORE SYSTEM  Basement  Well  CABOT  CABOT  Se2009  D207  T0.8  BASEMENT FROM PRESSURE TANK  Pressure Tank  Well  CABOT  CABOT  Se2009  D207  T0.8  BASEMENT FROM PRESSURE TANK  Pressure Tank  Well  CABOT  DEP  10.8  BASEMENT FROM PRESSURE TANK  Pressure Tank  Well  CABOT  DEP  10.8  BASEMENT AT PRESSURE TANK  Pressure Tank  Well  CABOT  Post-Treatment  DEP  4192010  D445  D545	Secondary Maximum Contaminant Levels	b								0.3	0.3	0.3	0.3			
BASEMENT REFORE SYSTEM  Basement  Well  CABOT  CABOT  Se2009  D207  T0.8  BASEMENT FROM PRESSURE TANK  Pressure Tank  Well  CABOT  CABOT  Se2009  D207  T0.8  BASEMENT FROM PRESSURE TANK  Pressure Tank  Well  CABOT  DEP  10.8  BASEMENT FROM PRESSURE TANK  Pressure Tank  Well  CABOT  DEP  10.8  BASEMENT AT PRESSURE TANK  Pressure Tank  Well  CABOT  Post-Treatment  DEP  4192010  D445  D545	Recommended Action Levels	c														
Well		+++		Well				CABOT	9/2/2008	0.018						
Well		TTT														
Well   CABOT 61/2009   0.192   12.3	BASEMENT BEFORE SYSTEM		Basement	Well			Pre-Treatment									
BASEMENT FROM PRESSURE TANK   Pressure Tank   Well   CABOT   6702009   0.108   11.1		Ш														
BASEMENT FROM PRESSURE TANK   Pressure Tank   Well   DEP   1201/2009   0.056   DEP   1201/2009   DEP										0.192						12.3
NOT INDICATED   Well   DEP   1201/2009   10.2   1	DAOGRELIT FROM PRESSURE TANK	+++	D T.							0.400						44.4
NOTINDICATED   Well   Well   DEP   12/01/2009   0.065     10.2		+++	Pressure Tank							0.108						11.1
PRESSURE TANK		+++			-		<u> </u>			0.055						10.2
Well   Post-Treatment   DEP   4/19/2010   0.106	NOT INDICATED	+++		VVGII	_			DEI	12/01/2003	0.000					1	10.2
BASEMENT AT PRESSURE TANK  Pressure Tank  Well  DEP  616/2010  0.309  8.882  BASEMENT AT PRESSURE TANK  Pressure Tank  Well  CABOT  7/22/2010  0.346  CABOT  7/22/2010  0.346  BASEMENT AT PRESSURE TANK  Pressure Tank  Well  DEP  616/2010  0.340  0.	PRESSURE TANK		Pressure Tank	Well				CABOT	1/11/2010	0.145						9.46
DEP   6/6/2010   0.694   0.8882		+		Well			Post-Treatment	DEP	4/19/2010		0.106					
BASEMENT AT PRESSURE TANK		TTT														
DEP   6/6/2010   0.694   0.8882																
BASEMENT AT PRESSURE TANK	BASEMENT AT PRESSURE TANK	+++	Pressure Tank													
BASEMENT AT PRESSURE TANK   Pressure Tank   Well   DEP   106/2010   0.327   0.802   0.002   <0.001   8.48	DAGEMENT AT DRECOURE TANK	+++	Daniel Tank													
Mell		+++					<del>                                     </del>						40.0E0	0.000	<b>*0.001</b>	
BASEMENT AT PRESSURE TANK   Pressure Tank   Well   CABOT   1/12/2010   0.19   0.0045   9.5	BASEMENT AT PRESSURE TANK	+++	Pressure rank							0.315	0.227	0.602	V0.050	0.002	<0.001	0.40
PRESSURE TANK	BASEMENT AT PRESSURE TANK	+++	Pressure Tank				<b>†</b>			0.19	0.527	0.002		0.0045		9.5
BASEMENT AT PRESSURE TANK		+++														
PRESSURE TANK	BASEMENT AT PRESSURE TANK	+++					<b>†</b>	CABOT								
BASEMENT AT PRESSURE TANK   Pressure Tank   Well   CABOT   2/22/2011	BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	1/20/2011							
IN BASEMENT AT PRESSURE TANK		TTT	Pressure Tank							0.54				<0.00030		8.8
BASEMENT AT PRESSURE TANK   Pressure Tank   Well   CABOT   3/22/2011																
AT PRESSURE TANK   Pressure Tank   Well   CABOT   4/5/2011																
AT PRESSURE TANK   Pressure Tank   Well   CABOT   4/12/2011		$\perp \perp \perp$														
BASEMENT AT PRESSURE TANK		+ + +														
BASEMENT AT PRESSURE TANK   Pressure Tank   Well   CABOT   5/10/2011   BASEMENT AT PRESSURE TANK   Pressure Tank   Well   CABOT   5/24/2011   WELL 1   Pressure Tank   Well   CABOT   7/20/2011   0.25   <0.00260   8.9		+++														
BASEMENT AT PRESSURE TANK   Pressure Tank   Well   CABOT   5/24/2011   WELL1   Pressure Tank   Well   CABOT   7/20/2011   Well   CABOT   7/20/2011   Well   CABOT   7/20/2011   Well   CABOT   7/20/2011   Well   CABOT   8/2/2011   0.25   Well   CABOT   8/3/2011   0.211   Well   CABOT   8/3/2011   0.211   Well   CABOT   8/3/2011   Well		+++					-								1	
WELL 1         Pressure Tank         Well         CABOT         7/6/2011         0.25         <0.00260		+++					<del> </del>				<b>_</b>				1	
WELL 1 Well CABOT 7/20/2011 WELL 1 Well CABOT 8/3/2011 0.211 < 0.00500 9.17 WELL 1 CABOT 8/3/2011 0.211 CABOT 8/3/		+++					1			0.25				<0.00260	1	8.0
WELL 1 Well CABOT 8/3/2011 0.211 <0.00500 9.17 WELL 1 Well CABOT 8/17/2011		+++	i ressure rank				<del>                                     </del>			0.20	<b>—</b>			~0.00200	1	0.5
WELL 1 Well Well CABOT 8/17/2011		+++	<u> </u>				<del> </del>			0.211	<u> </u>			<0.00500	1	9 17
		+++								211				2.30000		
		<del>1      </del>	İ				Pre-Treatment				İ					

- Notes:
  a Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
  b E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effect Recommended action level from the Office of Surface Mining Reclamation and Enforcement Appalachian Regional Coordinating Center, Pittsburgh, PA (Septern

11/1/2011 2:27 PM

									Magnesium (SAC	Magnesium (SAC	Magnesium,		Manganese (SAC	Manganese (SAC	Manganese,
		Sample				Treatment			942)	160)	dissolved	Manganese	942)	160)	dissolved
		Location	Sample Medium	Latitude	Longitude	Collection	Source	Sample Date	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
Primary Maximum Contaminant Levels	a														
Secondary Maximum Contaminant Levels	b											0.05	0.05	0.05	0.05
Recommended Action Levels	c														
	Ш		Well				CABOT	9/2/2008							
	Ш														
BASEMENT BEFORE SYSTEM		D	Well			Des Transferred	CABOT	2/26/2009				0.062			
BASEMENT BEFORE SYSTEM	ш	Basement	Well			Pre-Treatment	CABOT	3/6/2009				0.062			
	н.	_	Well				CABOT	5/14/2009				0.062			
	+++	-	Well				CABOT	6/20/2009				0.009			
BASEMENT FROM PRESSURE TANK	н.	Pressure Tank	Well				CABOT	8/17/2009				0.059			
NOT INDICATED	++	Flessule falk	Well				DEP	12/01/2009				0.039			
NOT INDICATED	++		Well				DEP	12/01/2009				0.666			
HOT INDIONIED	Н.	<u> </u>	77011	_	_		DLI	12/01/2000				0.000			
PRESSURE TANK		Pressure Tank	Well				CABOT	1/11/2010				0.056			
THE COURT IN THE		T TOODUITO TUTIN	Well			Post-Treatment	DEP	4/19/2010	9,794			0.000	0.056		
	$\vdash$		77011	_		1 oot 11 outmont		111012010	0.1101				0.000		
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	4/19/2010				0.054			
	$\vdash$	T TOOGGE TAIN	Well				DEP	6/16/2010				0.061			
BASEMENT AT PRESSURE TANK	$\vdash$	Pressure Tank	Well				CABOT	7/22/2010				0.078			
BASEMENT AT PRESSURE TANK	$^{\rm tt}$	Pressure Tank	Well				CABOT	9/17/2010			8.42	0.061			0.059
	ш		Well				DEP	10/6/2010	8,895	8.58			0.052	0.056	
BASEMENT AT PRESSURE TANK	ш	Pressure Tank	Well				CABOT	11/22/2010				0.047			
PRESSURE TANK	П	Pressure Tank	Well				CABOT	12/21/2010				0.049			
BASEMENT AT PRESSURE TANK	ш	Pressure Tank	Well				CABOT	1/10/2011							
BASEMENT AT PRESSURE TANK	П	Pressure Tank	Well				CABOT	1/20/2011							
PRESSURE TANK	П	Pressure Tank	Well				CABOT	2/4/2011				0.056			
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	2/22/2011							
IN BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	3/9/2011							
BASEMENT AT PRESSURE TANK	ПТ	Pressure Tank	Well				CABOT	3/22/2011							
AT PRESSURE TANK	ПП	Pressure Tank	Well				CABOT	4/5/2011							
AT PRESSURE TANK	ПТ	Pressure Tank	Well				CABOT	4/12/2011							
BASEMENT AT PRESSURE TANK	Ш	Pressure Tank	Well				CABOT	4/26/2011							
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	5/10/2011			,				,
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	5/24/2011			,				
WELL 1		Pressure Tank	Well				CABOT	7/6/2011			,	0.053			
WELL 1			Well				CABOT	7/20/2011			,				,
WELL 1			Well				CABOT	8/3/2011				0.0564			
WELL 1	ПТ		Well				CABOT	8/17/2011							
WELL 1	П		Well			Pre-Treatment	CABOT	8/31/2011				1			

- Notes:
  a Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
  b E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effect Recommended action level from the Office of Surface Mining Reclamation and Enforcement Appalachian Regional Coordinating Center, Pittsburgh, PA (Septern

Page 8 of 15 11/1/2011 2:27 PM

									100	Mercury,		Potassium,		Selenium,	
		Sample				Treatment			Mercury	dissolved	Potassium	dissolved	Selenium	dissolved	Silver
		Location	Sample Medium	Latitude	Longitude	Collection	Source	Sample Date	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
Primary Maximum Contaminant Levels	a								0.002	0.002			0.05	0.05	
Secondary Maximum Contaminant Levels	b														0.1
Recommended Action Levels	c														
	${}^{\rm TT}$		Well				CABOT	9/2/2008							
BASEMENT BEFORE SYSTEM	+++	Basement	Well			Pre-Treatment	CABOT	2/26/2009							
	+++		Well				CABOT	3/6/2009 5/14/2009							
	+++		Well				CABOT	6/20/2009							
BASEMENT FROM PRESSURE TANK	+++	Pressure Tank	Well				CABOT	8/17/2009							
NOT INDICATED	+++	Pressure rank	Well				DEP	12/01/2009							
NOT INDICATED	+++	<b>_</b>	Well				DEP	12/01/2009			2.117				
NOT INDICATED	+++		vveii				DEF	12/01/2009			2.117				
PRESSURE TANK	IIII	Pressure Tank	Well				CABOT	1/11/2010							
RESSURE TANK	+++	Flessule falk	Well			Post-Treatment	DEP	4/19/2010			2.334				
	+++		77011			1 OSE-TICALITICAL	DE.	4/15/2010			2.004				
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	4/19/2010							
	++		Well				DEP	6/16/2010			1.985				
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	7/22/2010							
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	9/17/2010	< 0.0002	< 0.0002	2.23	2.13	<0.005	< 0.005	< 0.005
	+++		Well				DEP	10/6/2010			2.017				
BASEMENT AT PRESSURE TANK	TTT	Pressure Tank	Well				CABOT	11/22/2010	< 0.0002		2.13		<0.002		< 0.001
PRESSURE TANK	ПП	Pressure Tank	Well				CABOT	12/21/2010	< 0.0002		2.3		<0.002		< 0.001
ASEMENT AT PRESSURE TANK	Ш	Pressure Tank	Well				CABOT	1/10/2011							
ASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	1/20/2011							
RESSURE TANK		Pressure Tank	Well				CABOT	2/4/2011	< 0.0002		2.2		< 0.002		< 0.001
ASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	2/22/2011							
N BASEMENT AT PRESSURE TANK	ПП	Pressure Tank	Well				CABOT	3/9/2011							
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	3/22/2011							
T PRESSURE TANK		Pressure Tank	Well				CABOT	4/5/2011							
T PRESSURE TANK		Pressure Tank	Well				CABOT	4/12/2011							
ASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	4/26/2011							
ASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	5/10/2011							
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	5/24/2011							
WELL 1		Pressure Tank	Well				CABOT	7/6/2011	< 0.0002		2.2		<0.002		<0.001
WELL 1	Ш		Well				CABOT	7/20/2011							
WELL 1	ш		Well				CABOT	8/3/2011	< 0.002		1.93		<0.010		<0.005
WELL 1	ПП		Well				CABOT	8/17/2011							
NELL 1	ITI		Well			Pre-Treatment	CABOT	8/31/2011							

- Notes:
  a Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
  b E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effect Recommended action level from the Office of Surface Mining Reclamation and Enforcement Appalachian Regional Coordinating Center, Pittsburgh, PA (Septern

Page 9 of 15 11/1/2011 2:27 PM

										Sodium,			- " '		Strontium,
		Sample				Treatment			Silver, dissolved	dissolved	Sodium	Sodium (SAC 942)		Strontium	dissolved
		Location	Sample Medium	Latitude	Longitude	Collection	Source	Sample Date	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
Primary Maximum Contaminant Levels	a														
Secondary Maximum Contaminant Levels	b								0.1						
Recommended Action Levels	c														
	++		Well				CABOT	9/2/2008							
	+++		VVCII	_			CABOT	3/E/E000							
BASEMENT BEFORE SYSTEM		Basement	Well			Pre-Treatment	CAROT	2/26/2009						2.02	
DIGENETI DEI GILE GIGIEN	+++	Buoomon	Well			1 to troutmont	CABOT	3/6/2009						2.02	
	+++		Well				CABOT	5/14/2009						2.2	
	+++		Well				CABOT	6/20/2009							
BASEMENT FROM PRESSURE TANK	+++	Pressure Tank	Well				CABOT	8/17/2009						2.02	
NOT INDICATED	+++		Well				DEP	12/01/2009							
NOT INDICATED	+		Well				DEP	12/01/2009			47.6			1.992	
	+++			_											
PRESSURE TANK		Pressure Tank	Well				CABOT	1/11/2010						1.9	
	+		Well			Post-Treatment	DEP	4/19/2010				57		1.713	
	+														
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	4/19/2010						1.74	
	-		Well				DEP	6/16/2010			49.453			1.65	
BASEMENT AT PRESSURE TANK	$\pm 11$	Pressure Tank	Well				CABOT	7/22/2010						1.62	
BASEMENT AT PRESSURE TANK	${}^{\rm TT}$	Pressure Tank	Well				CABOT	9/17/2010	<0.005	68.7	70.7			1.56	1.56
	${}^{\rm TT}$		Well				DEP	10/6/2010				46.4	45.2	1.681	
BASEMENT AT PRESSURE TANK	$\top$	Pressure Tank	Well				CABOT	11/22/2010			68.2			1.5	
PRESSURE TANK	$\Box$	Pressure Tank	Well				CABOT	12/21/2010			48			1.5	
BASEMENT AT PRESSURE TANK	$\Box$	Pressure Tank	Well				CABOT	1/10/2011							
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	1/20/2011							
PRESSURE TANK		Pressure Tank	Well				CABOT	2/4/2011			46			1.6	
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	2/22/2011							
IN BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	3/9/2011							
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	3/22/2011							
AT PRESSURE TANK		Pressure Tank	Well				CABOT	4/5/2011							
AT PRESSURE TANK		Pressure Tank	Well				CABOT	4/12/2011							
BASEMENT AT PRESSURE TANK	$\perp \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \!$	Pressure Tank	Well				CABOT	4/26/2011							
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	5/10/2011							
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	5/24/2011							
WELL 1		Pressure Tank	Well				CABOT	7/6/2011			47			1.6	
WELL 1	$\perp \Box$		Well				CABOT	7/20/2011							
WELL 1			Well				CABOT	8/3/2011			45.1			1.68	
WELL 1	$\perp \perp \perp$		Well				CABOT	8/17/2011							
WELL 1			Well			Pre-Treatment	CABOT	8/31/2011							

- Notes:
  a Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
  b E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effect Recommended action level from the Office of Surface Mining Reclamation and Enforcement Appalachian Regional Coordinating Center, Pittsburgh, PA (Septern

11/1/2011 2:27 PM

										1,2,4-	1,3,5-				Isopropylbenzene
		Sample				Treatment			Zinc	Trimethylbenzene	Trimethylbenzene	Benzene		Ethylbenzene	(cumene)
		Location	Sample Medium	Latitude	Longitude	Collection	Source	Sample Date	(mg/L)	(mg/L)	(mg/L)	(mg/L)	EDB	(mg/L)	(mg/L)
Primary Maximum Contaminant Levels	a								(3. = /	(5.=)	(3-)	0.005		0.7	(5-2)
Secondary Maximum Contaminant Levels	b								5						
	lc I						$\vdash$								
Recommended Action Levels															
	+++		Well				CABOT	9/2/2008							
			200.00					0.00.0000							
BASEMENT BEFORE SYSTEM	+++	Basement	Well Well			Pre-Treatment	CABOT	2/26/2009 3/6/2009				<0.0005		<0.0005	
	+++		Well				CABOT	5/14/2009							
	+++		Well				CABOT	6/20/2009							
BASEMENT FROM PRESSURE TANK	+++	Pressure Tank	Well				CABOT	8/17/2009				<0.0005		< 0.0005	
NOT INDICATED	+++	Pressure rank	Well				DEP	12/01/2009				<0.0005		<0.0005	
NOT INDICATED	+++		Well				DEP	12/01/2009							
NOT INDICATED	+++		vven				DEF	12/01/2009							
PRESSURE TANK		Pressure Tank	Well				САВОТ	1/11/2010							
FRESSORE TANK	+++	Flessuie Talik	Well			Post-Treatment	DEP	4/19/2010							
	+++		vveii			rost-rieatilient	DLF	4/15/2010							
	IIII														
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	4/19/2010							
BASEMENT AT FIXESSOILE TANK	+++	Fressule rank	Well				DEP	6/16/2010							
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	7/22/2010							
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	9/17/2010				<0.0005		<0.0005	
BAGEMENT ATT REGOGILE TANK	+++	1 1033uic Talik	Well				DEP	10/6/2010	<0.01			-0.0005	NON DETECT	-0.0005	
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	11/22/2010	0.01			<0.0005	NON DE LEGI	<0.0005	
PRESSURE TANK	+++	Pressure Tank	Well				CABOT	12/21/2010				<0.0005		<0.0005	
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	1/10/2011							
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	1/20/2011							
PRESSURE TANK	++	Pressure Tank	Well				CABOT	2/4/2011		< 0.0005	< 0.0005	< 0.0005		< 0.0005	< 0.0005
BASEMENT AT PRESSURE TANK	++	Pressure Tank	Well				CABOT	2/22/2011						< 0.0005	
IN BASEMENT AT PRESSURE TANK	${}^{\rm TT}$	Pressure Tank	Well				CABOT	3/9/2011						< 0.0005	
BASEMENT AT PRESSURE TANK	ш	Pressure Tank	Well				CABOT	3/22/2011						< 0.0005	
AT PRESSURE TANK	Ш	Pressure Tank	Well				CABOT	4/5/2011						<0.0005	
AT PRESSURE TANK	ПП	Pressure Tank	Well				CABOT	4/12/2011						<0.0005	
BASEMENT AT PRESSURE TANK	ПП	Pressure Tank	Well				CABOT	4/26/2011						<0.0005	
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	5/10/2011						<0.0005	
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	5/24/2011						<0.0005	
WELL 1		Pressure Tank	Well				CABOT	7/6/2011		<0.00005	<0.00005	<0.00005		<0.00005	<0.00005
WELL 1	$\perp \Box$		Well				CABOT	7/20/2011							
WELL 1			Well				CABOT	8/3/2011		<0.00005	<0.00005	<0.00005		<0.00005	<0.00005
WELL 1	$\perp \perp \perp$		Well				CABOT	8/17/2011							
WELL 1	$\perp \perp \perp$		Well			Pre-Treatment	CABOT	8/31/2011							

- Notes:
  a Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
  b E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effect Recommended action level from the Office of Surface Mining Reclamation and Enforcement Appalachian Regional Coordinating Center, Pittsburgh, PA (Septern

11/1/2011 2:27 PM

		Sample Location	Sample Medium	Latitude	Longitude	Treatment Collection	Source	Sample Date	MTBE (mg/L)	n-Butylbenzene (mg/L)	n-Propylbenzene (mg/L)	Napthalene (mg/L)	p- Isopropyltoluene( mg/L)	sec-Butylbenzene (mg/L)	T-Butyl alcohol (mg/L)
Primary Maximum Contaminant Levels	a														
Secondary Maximum Contaminant Levels	b														
Recommended Action Levels	c														
The control of the co	+++		Well				CABOT	9/2/2008							
	+++		*****	_			0,1001	0/2/2000							
BASEMENT BEFORE SYSTEM		Basement	Well			Pre-Treatment		2/26/2009	<0.0005						
	$\perp \perp \perp$		Well				CABOT	3/6/2009							
	+		Well			ļ	CABOT	5/14/2009							
DAOCHELIT COOL DOCOURS TANK	+++		Well				CABOT	6/20/2009 8/17/2009	-0.0007						
BASEMENT FROM PRESSURE TANK NOT INDICATED	+++	Pressure Tank	Well Well			<b> </b>	CABOT	12/01/2009	<0.0005	+			1		
NOT INDICATED	+++		Well				DEP	12/01/2009					_		
NOT INDICATED	+++		vven			<u> </u>	DEF	12/01/2009							
PRESSURE TANK		Pressure Tank	Well				CABOT	1/11/2010					1		
THEODORE DANK	+	T TOODUIG TURK	Well			Post-Treatment	DEP	4/19/2010							
	TTT														
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	4/19/2010							
	+++		Well				DEP	6/16/2010							
BASEMENT AT PRESSURE TANK	$\top$	Pressure Tank	Well				CABOT	7/22/2010							
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	9/17/2010							
			Well				DEP	10/6/2010							0.00514
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	11/22/2010							
PRESSURE TANK	$\perp \perp \perp$	Pressure Tank	Well				CABOT	12/21/2010							
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	1/10/2011							
BASEMENT AT PRESSURE TANK	+	Pressure Tank	Well				CABOT	1/20/2011		0.0005	0.000	0.0005	0.0005	0.0005	
PRESSURE TANK BASEMENT AT PRESSURE TANK	+++	Pressure Tank Pressure Tank	Well				CABOT	2/4/2011 2/22/2011		<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
IN BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	3/9/2011		+					
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	3/22/2011		-			+		
AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	4/5/2011		1			<del>                                     </del>		
AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	4/12/2011					1		
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	4/26/2011							
BASEMENT AT PRESSURE TANK		Pressure Tank	Well			<b>†</b>	CABOT	5/10/2011							
BASEMENT AT PRESSURE TANK	TTT	Pressure Tank	Well				CABOT	5/24/2011							
WELL 1		Pressure Tank	Well				CABOT	7/6/2011		<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	
WELL 1			Well				CABOT	7/20/2011							
WELL 1			Well				CABOT	8/3/2011		<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	
WELL 1	$\mathbf{I}$		Well				CABOT	8/17/2011							
WELL 1			Well			Pre-Treatment	CABOT	8/31/2011							

- Notes:
  a Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
  b E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effect Recommended action level from the Office of Surface Mining Reclamation and Enforcement Appalachian Regional Coordinating Center, Pittsburgh, PA (Septern

11/1/2011 2:27 PM

		Sample Location	Sample Medium	Latitude	Longitude	Treatment Collection	Source	Sample Date	Toluene (mg/L)	o-Xylene (mg/L)	m,p-Xylenes (mg/L)	Xylenes, total (mg/L)	VOADW	SVDW	SVDW (BLANK)
Primary Maximum Contaminant Levels	a								1	10	10	10			
Secondary Maximum Contaminant Levels	b														
Recommended Action Levels	c														
	++		Well				CABOT	9/2/2008							
BASEMENT BEFORE SYSTEM		Basement	Well			Pre-Treatment	CABOT	2/26/2009	<0.0005	<0.0005	<0.001				
	ш		Well				CABOT	3/6/2009							
			Well Well				CABOT	5/14/2009 6/20/2009							
BASEMENT FROM PRESSURE TANK	+++	Pressure Tank	Well				CABOT	8/17/2009	<0.0005	<0.0005	<0.001				
NOT INDICATED	+++	Flessule falls	Well				DEP	12/01/2009	~0.0003	~0.0003	~0.001				
NOT INDICATED	+++		Well				DEP	12/01/2009							
	ш														
PRESSURE TANK	ш	Pressure Tank	Well				CABOT	1/11/2010							
	ш		Well			Post-Treatment	DEP	4/19/2010							
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				САВОТ	4/19/2010							
BAGEMENT AT TREGGGRE TANK	+++	1 1000dio Talik	Well				DEP	6/16/2010							
BASEMENT AT PRESSURE TANK	$^{\rm +++}$	Pressure Tank	Well				CABOT	7/22/2010							
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	9/17/2010	<0.0005			0.0027			
			Well				DEP	10/6/2010					NON DETECT	NON DETECT	NON DETECT
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	11/22/2010	<0.0005			<0.0005			
PRESSURE TANK	ш	Pressure Tank	Well				CABOT	12/21/2010	<0.0005			<0.0005			
BASEMENT AT PRESSURE TANK BASEMENT AT PRESSURE TANK		Pressure Tank	Well Well				CABOT	1/10/2011 1/20/2011							
PRESSURE TANK	+++	Pressure Tank Pressure Tank	Well				CABOT	2/4/2011	<0.0005			<0.0005			
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	2/22/2011	<0.0005			<0.0003			
IN BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	3/9/2011	<0.0005						
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	3/22/2011	<0.0005						
AT PRESSURE TANK	$^{\rm +++}$	Pressure Tank	Well				CABOT	4/5/2011	< 0.0005						
AT PRESSURE TANK	ш	Pressure Tank	Well				CABOT	4/12/2011	< 0.0005						
BASEMENT AT PRESSURE TANK	ПП	Pressure Tank	Well				CABOT	4/26/2011	<0.0005						
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	5/10/2011	<0.0005						
BASEMENT AT PRESSURE TANK	$\perp \perp \perp$	Pressure Tank	Well				CABOT	5/24/2011	<0.0005						
WELL 1	+++	Pressure Tank	Well				CABOT	7/6/2011	<0.00005			<0.00005			
WELL 1	+++		Well Well				CABOT	7/20/2011 8/3/2011	<0.00005			<0.00005			
WELL 1	+++		Well				CABOT	8/3/2011	<0.00005			~U.UUUU5			
WELL 1	+++		Well			Pre-Treatment		8/31/2011							
WALLE I			AAGII			L 10- Heatment	CABOI	0/31/2011							

- Notes:
  a Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
  b E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effect Recommended action level from the Office of Surface Mining Reclamation and Enforcement Appalachian Regional Coordinating Center, Pittsburgh, PA (Septen

11/1/2011 2:27 PM

		Sample Location	Sample Medium	Latitude	Longitude	Treatment Collection	Source	Sample Date	svww	Ethane (ug/L)	Ethene (ug/L)	iso-Butane (ug/L)	Methane (ug/L)	n-Butane (ug/L)	Propane (ug/L)
Primary Maximum Contaminant Levels	a					1									l i
Secondary Maximum Contaminant Levels	b														
Recommended Action Levels	c												28,000		
Treestiment and Treesting	+++		Well				CABOT	9/2/2008					,		
	+++		*****		_		0,1001	0/2/2000							
BASEMENT BEFORE SYSTEM		Basement	Well			Pre-Treatment		2/26/2009		7.8		<0.050	22,000	<0.050	<0.050
	$\perp \perp$		Well				CABOT	3/6/2009		7.8		<0.05	22,000	<0.05	<0.05
	+++		Well			ļ	CABOT	5/14/2009		11		<0.05 <0.05	23,000	<0.05 <0.05	<0.05 <0.05
BASEMENT FROM PRESSURE TANK	+++	Pressure Tank	Well Well			<u> </u>	CABOT	6/20/2009 8/17/2009		8.9 14		<0.05 <0.050	18,000 28.000	<0.05	<0.05
NOT INDICATED	+++	Pressure rank	Well				DEP	12/01/2009		<19.8		<0.050	42.500	×0.050	<19.8
NOT INDICATED	+++		Well			<b>†</b>	DEP	12/01/2009		~15.0			42,500		15.0
THE T INDIONALES	+++		77011				DL.	12/01/2000							
PRESSURE TANK		Pressure Tank	Well	$\overline{}$			CABOT	1/11/2010		14		< 0.050	32,000	<0.050	<0.050
	+		Well			Post-Treatment	DEP	4/19/2010		NON DETECT	NON DETECT		39.8 Q		NON DETECT
	ПП														
BASEMENT AT PRESSURE TANK	Ш	Pressure Tank	Well				CABOT	4/19/2010		9.6		<0.050	24,000	<0.050	<0.050
DAGENERIE AT DESCRIPTION	+++		Well				DEP	6/16/2010		NON DETECT		0.000	51,900	0.050	CANCELLED
BASEMENT AT PRESSURE TANK BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well Well				CABOT	7/22/2010 9/17/2010		8.3 11		<0.050 <0.050	18,000 25,000	<0.050 <0.050	<0.050 <0.050
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				DEP	10/6/2010	NON DETECT	0.0116	NON DETECT	<0.050	25,000 27.8 Q	<0.050	NON DETECT
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well			<b>-</b>	CABOT	11/22/2010	NONDETECT	9.9 mg/L	NON DETECT	<0.050	24.000	<0.050	<0.050
PRESSURE TANK	+++	Pressure Tank	Well			1	CABOT	12/21/2010		9.6		<0.050	27,000	<0.050	<0.050
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	1/10/2011		13		< 0.050	32.000	<0.050	<0.050
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	1/20/2011		11		< 0.050	28,000	<0.050	<0.050
PRESSURE TANK	TTT	Pressure Tank	Well				CABOT	2/4/2011		10		< 0.050	24,000	<0.050	<0.050
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	2/22/2011		11		< 0.050	28,000	<0.050	<0.050
IN BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	3/9/2011		11		< 0.050	29,000	<0.050	< 0.050
BASEMENT AT PRESSURE TANK	+ + +	Pressure Tank	Well				CABOT	3/22/2011		9.7		<0.050	22,000	<0.050	<0.050
AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	4/5/2011		10		<0.050	24,000	<0.050	<0.050
AT PRESSURE TANK	+++	Pressure Tank	Well				CABOT	4/12/2011		10		<0.050	25,000	<0.050	<0.050
BASEMENT AT PRESSURE TANK BASEMENT AT PRESSURE TANK	+++	Pressure Tank Pressure Tank	Well Well			<del>                                     </del>	CABOT	4/26/2011 5/10/2011		9.4 7.7		<0.050 <0.050	22,000 20,000	<0.050 <0.050	<0.050 <0.050
BASEMENT AT PRESSURE TANK	+++	Pressure Tank	Well			<b> </b>	CABOT	5/10/2011		7.7		<0.050	19.000	<0.050	<0.050
WELL 1	+++	Pressure Tank	Well			<del>                                     </del>	CABOT	7/6/2011		8.7		< 0.050	21.000	<0.050	<0.050
WELL 1	+++	, resourc rallk	Well			<b>†</b>	CABOT	7/20/2011		1.01		<0.050	28.000	<0.050	<0.050
WELL 1	+++		Well			1	CABOT	8/3/2011		8.2		<0.050	20,000	<0.050	<0.050
WELL 1	111		Well			t e	CABOT	8/17/2011		17		<0.050	28,000	<0.050	<0.050
WELL 1			Well			Pre-Treatment	CABOT	8/31/2011		5.6		<0.050	13,000	<0.050	< 0.050

- Notes:
  a Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
  b E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effect Recommended action level from the Office of Surface Mining Reclamation and Enforcement Appalachian Regional Coordinating Center, Pittsburgh, PA (Septern

11/1/2011 2:27 PM

		Sample Location	Sample Medium	Latitude	Longitude	Treatment Collection	Source	Sample Date	Sample Sheet Comments
Primary Maximum Contaminant Levels	a								
Secondary Maximum Contaminant Levels	-	b							
Recommended Action Levels	c								
	+		Well				CABOT	9/2/2008	
BASEMENT BEFORE SYSTEM		Basement	Well			Pre-Treatment	CABOT	2/26/2009	HEAT SOURCE / ELECTRIC THERMAL STORAGE STOVE/OVEN ARE ELECTRIC SCREWS BROKE AT WELL HEAD AND COULD NOT OPEN IT. SAMPLE WAS FILLED WITH BUBBLES, APPEARED WHITE IN COLOR
	$\perp$		Well				CABOT	3/6/2009	
	44	1	Well			<b> </b>	CABOT	5/14/2009	
DAGENERIT FROM PRESSURE TANK	++	H	Well				CABOT	6/20/2009 8/17/2009	MATERILIAN BURNIEG PRECENT
BASEMENT FROM PRESSURE TANK NOT INDICATED	+	Pressure Tank	Well				DEP	12/01/2009	WATER HAD BUBBLES PRESENT SAMPLE HAD BUBBLE IN IT UPON RECEIPT
NOT INDICATED	+	_	Well				DEP	12/01/2009	SAWFLE HAD BOBBLE INTT OPON RECEIPT
PRESSURE TANK	Ħ	Pressure Tank	Well				CABOT	1/11/2010	WATER "FIZZED" UPON FILLING CONTAINERS MAILING ADDRESS: PO BOX 340 HOLICONG, PA 18928
	$\top$		Well			Post-Treatment	DEP	4/19/2010	
BASEMENT AT PRESSURE TANK		Pressure Tank	Well Well				CABOT	4/19/2010 6/16/2010	COLOR CLEAR IN SMALL CONTAINERS, GRAY IN LARGE CONTAINERS. LEL READING INHOT WATER OVER BOTTLE WAS 54%. SAMPLE WAS FULL OF BUBBLES
BASEMENT AT PRESSURE TANK	++	Pressure Tank	Well			-	CABOT	7/22/2010	WATER FIZZED WHILE DRAWING WATER
BASEMENT AT PRESSURE TANK	++	Pressure Tank	Well				CABOT	9/17/2010	WATER FIZZED WHILE DRAWING WATER
BASEMENT AT FRESSORE TANK	+	Flessule falls	Well				DEP	10/6/2010	
BASEMENT AT PRESSURE TANK	++	Pressure Tank	Well				CABOT	11/22/2010	
PRESSURE TANK		Pressure Tank	Well				CABOT	12/21/2010	
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	1/10/2011	
BASEMENT AT PRESSURE TANK		Pressure Tank	Well				CABOT	1/20/2011	
PRESSURE TANK	$\perp$	Pressure Tank	Well				CABOT	2/4/2011	
BASEMENT AT PRESSURE TANK	$\perp$	Pressure Tank	Well				CABOT	2/22/2011	
IN BASEMENT AT PRESSURE TANK	$\perp$	Pressure Tank	Well				CABOT	3/9/2011	
BASEMENT AT PRESSURE TANK	+	Pressure Tank	Well			ļ	CABOT	3/22/2011	
AT PRESSURE TANK	+	Pressure Tank	Well				CABOT	4/5/2011	
AT PRESSURE TANK	++	Pressure Tank	Well			ļ	CABOT	4/12/2011	
BASEMENT AT PRESSURE TANK BASEMENT AT PRESSURE TANK	+	Pressure Tank	Well Well				CABOT	4/26/2011 5/10/2011	
BASEMENT AT PRESSURE TANK	++	Pressure Tank Pressure Tank	Well			<b> </b>	CABOT	5/10/2011	
WELL 1	++	Pressure Tank	Well			<b>!</b>	CABOT	7/6/2011	
WELL 1	++	riessule fallk	Well			<b> </b>	CABOT	7/20/2011	
WELL 1	++	+	Well			<del>                                     </del>	CABOT	8/3/2011	
WELL 1	+	+	Well			<del> </del>	CABOT	8/17/2011	
WELL 1	+	+	Well		+===	Pre-Treatment	CABOT	8/31/2011	

- Notes:
  a Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
  b E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effect Recommended action level from the Office of Surface Mining Reclamation and Enforcement Appalachian Regional Coordinating Center, Pittsburgh, PA (Septen

11/1/2011 2:27 PM